2016 Accord

ENGINE	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
.4-litre, 16-valve, Direct Injection DOHC, i-VTEC® 4-cylinder	•	•	•	•		
.5-litre, 24-valve, SOHC, i-VTEC® V6					•	•
lorsepower @ rpm1	185 @ 6400	189 @ 6400	185 @ 6400	185 @ 6400	278 @ 6200	278 @ 6200
orque (lbft. @ rpm)¹	181 @ 3900	182 @ 3900	181 @ 3900	181 @ 3900	252 @ 4900	252 @ 4900
splacement (cc)	2356	2356	2356	2356	3471	3471
missions rating MT/CVT (L4) AT (V6)	Tier 3 Bin 125 /	Tier 3 Bin 125 /	NA/Tier3	Tier 3 Bin 125 /	NA/Tier3	NA/Tier3
	Tier 3 Bin 30	Tier 3 Bin 30	, Bin 30	Tier 3 Bin 30	Bin 125	Bin 125
ore and stroke (mm)	87 x 99	87 x 99	87 x 99	87 x 99	89 x 93	89 x 93
ompression ratio	11.1:1	11.1:1	11.1:1	11.1:1	10.5:1	10.5:1
co Assist™ system		•	•	•	•	•
rive-by-Wire Throttle System™	•	•	•	•	•	•
fulti-Point Programmed Fuel Injection system (PGM-FI®)	•	•	•	•	•	•
, , , ,					•	•
pirect injection	•	•	•	•		
'ariable Cylinder Management® (VCM®)					•	•
ecommended fuel	Regular	Regular	Regular	Regular	Regular	Regular
RIVETRAIN	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING VE
	LX	SPURI	EX-L	TOURING		TOURING V6
-speed automatic transmission (AT) with Grade Logic Control					•	•
-speed manual transmission (MT)	•	•		•		
mplitude Reactive Dampers				•		•
Continuously variable transmission (CVT)	Available	Available	•	Available		
CON mode button	•	•	•	•	•	•
ront-wheel drive	•	•	•	•	•	•
steering wheel-mounted paddle shifters		Available				
<u> </u>						
CHASSIS	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
7" aluminum-alloy wheels	•		•			
9" aluminum-alloy wheels		•	•			
all-season tires	P215/55 R17 94V	P235/40 R19 96V	P215/55 R17 94V	P235/40 R19 96V	P215/55 R17 94V	P235/40 R19 96
	P215/55 R17 94V	P235/40 RI9 96V	P215/55 R17 94V	P235/40 RI9 96V	P215/55 R17 94V	,
lectric power-assisted rack-and-pinion steering (EPS)	•	•	•	•	•	•
ront strut tower brace	•	•	•	•	•	•
1acPherson strut front suspension	•	•	•	•	•	•
1ulti-link independent rear suspension	•	•	•	•	•	•
ower-assisted, ventilated front/solid rear disc brakes	•	•	•	•	•	•
teering wheel turns, lock-to-lock	2.54	2.46	2.54	2.46	2.55	2.47
stabilizer bars – front and rear (mm)	17/14	17/14	17/14	17/14	19/15	19/15
		17/14	17/14	17/14	19/13	10/10
emporary spare tire		T135/80D17 103M				
emporary spare tire						
ACTIVE SAFETY	T135/90D16 102M	T135/80D17 103M	T135/90D16 102M	T135/80D17 103M	T135/90D16 102M	T135/80D17 103I
ACTIVE SAFETY I-wheel Anti-lock Braking System (ABS) ²	T135/90D16 102M	T135/80D17 103M SPORT	T135/90D16 102M EX-L	T135/80D17 103M	T135/90D16 102M	T135/80D17 1038
ACTIVE SAFETY I-wheel Anti-lock Braking System (ABS) ² Brake Assist	T135/90D16 102M LX •	T135/80D17 103M SPORT •	T135/90D16 102M EX-L	T135/80D17 103M TOURING •	T135/90D16 102M	T135/80D17 103f
ACTIVE SAFETY I-wheel Anti-lock Braking System (ABS) ² Brake Assist	T135/90D16 102M LX • Honda Sensing™	SPORT • Honda Sensing™	EX-L •	T135/80D17 103M	EX-L V6	T135/80D17 103N
ACTIVE SAFETY I-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ²	T135/90D16 102M LX •	T135/80D17 103M SPORT •	EX-L •	T135/80D17 103M TOURING •	EX-L V6 • • •	T135/80D17 103N
ACTIVE SAFETY I-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ² Electronic Brake-force Distribution (EBD)	LX • Honda Sensing™ model*	SPORT • Honda Sensing™ model* •	EX-L •	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D17 103f
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist iollision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD)	LX • Honda Sensing™ model* • Honda Sensing™	SPORT • Honda Sensing™ model* Honda Sensing™	EX-L •	T135/80D17 103M TOURING •	EX-L V6 • • •	T135/80D17 103
ACTIVE SAFETY wheel Anti-lock Braking System (ABS) ² trake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ²	LX • Honda Sensing™ model*	SPORT • Honda Sensing™ model* •	EX-L • • •	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D17 103
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ²	LX • Honda Sensing™ model* Honda Sensing™ model* •	SPORT • Honda Sensing™ model* Honda Sensing™ model* •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D171033 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist rollision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² lill Start Assist ² ED daytime running lights	LX • Honda Sensing™ model* • Honda Sensing™	SPORT • Honda Sensing™ model* Honda Sensing™	EX-L • • •	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D17 103
-wheel Anti-lock Braking System (ABS) ² rake Assist rollision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² lill Start Assist ² ED daytime running lights ire Pressure Monitoring System (TPMS) ³ – indirect	LX • Honda Sensing™ model* Honda Sensing™ model* • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* Honda Sensing™ model* • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D17103 TOURING V6
ACTIVE SAFETY It-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System TM (CMBS*) ² Collectronic Brake-force Distribution (EBD) Corward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights Cire Pressure Monitoring System (TPMS) ³ – indirect	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™	SPORT • Honda Sensing™ model* • Honda Sensing™ Model* • Honda Sensing™ Model* • Honda Sensing™	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D171033 TOURING V6
ACTIVE SAFETY It-wheel Anti-lock Braking System (ABS) ² Arake Assist Collision Mitigation Braking System [™] (CMBS*) ² Collectronic Brake-force Distribution (EBD) Conward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights Tire Pressure Monitoring System (TPMS) ³ – indirect ane Departure Warning (LDW) system ²	LX • Honda Sensing™ model* Honda Sensing™ model* • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* Honda Sensing™ model* • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	EX-L V6	T135/80D171031 TOURING V6
CCTIVE SAFETY wheel Anti-lock Braking System (ABS) ² trake Assist Collision Mitigation Braking System™ (CMBS®) ² electronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights irre Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system ²	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™	SPORT • Honda Sensing™ model* • Honda Sensing™ Model* • Honda Sensing™ Model* • Honda Sensing™	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model	EX-L V6	T135/80D171031 TOURING V6
CCTIVE SAFETY wheel Anti-lock Braking System (ABS) ² trake Assist Collision Mitigation Braking System™ (CMBS®) ² electronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights irre Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system ²	LX • Honda Sensing™ model* Honda Sensing™ model* • Honda Sensing™ model*	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	EX-L V6	T135/80D171031 TOURING V6
ACTIVE SAFETY wheel Anti-lock Braking System (ABS) ² trake Assist collision Mitigation Braking System™ (CMBS®) ² Electronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² dill Start Assist ² ED daytime running lights fire Pressure Monitoring System (TPMS) ³ – indirect ane Departure Warning (LDW) system ² doad Departure Mitigation (RDM) system ²	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model*	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ Model* Honda Sensing™ Model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	EX-L V6	T135/80D17103I TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² toad Departure Mitigation (RDM) system² lehicle Stability Assist² (VSA®) with Traction Control	LX • Honda Sensing™ model* • Honda Sensing™ model* • • • • • • • • • • • • • • • • • • •	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ Model* Honda Sensing™ Model* Honda Sensing™ Model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D171031 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² toad Departure Mitigation (RDM) system² lehicle Stability Assist² (VSA®) with Traction Control	LX • Honda Sensing™ model* • Honda Sensing™ model* • • • • • • • • • • • • • • • • • • •	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ Model* Honda Sensing™ Model* Honda Sensing™ Model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D17103I TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist ollision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² oad Departure Mitigation (RDM) system² ehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on	LX • Honda Sensing™ model* • Honda Sensing™ model* • • • • • • • • • • • • • • • • • • •	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ Model* Honda Sensing™ Model* Honda Sensing™ Model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model	T135/90D16 102M EX-L V6	T135/80D171038 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² fill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² load Departure Mitigation (RDM) system² rehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ selvational sensing™ wodel* LX	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* total Parameter of the product of th	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING	T135/90D16 102M EX-L V6	T135/80D171038 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² fill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² load Departure Mitigation (RDM) system² rehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ sing™ model* Honda Sensing™ model*	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ adel* Honda Sensing™ model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model CVT model	EX-L V6	T135/80D171033 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) onward Collision Warning (FCW) system² fill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² load Departure Mitigation (RDM) system² fehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ selvational sensing™ wodel* LX	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* total Parameter of the product of th	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
CTIVE SAFETY wheel Anti-lock Braking System (ABS) ² brake Assist collision Mitigation Braking System™ (CMBS®) ² clectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² dill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² cload Departure Mitigation (RDM) system² dehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ selvational sensing™ wodel* LX	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* total Parameter of the product of th	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING	EX-L V6	T135/80D171038 TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist follision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² toad Departure Mitigation (RDM) system² tehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • LX • Honda Sensing™ model* Honda Sensing™ honda Sensing™ LX • • LX • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • • Honda Sensing™ model* • • * * * * * * * * * * * * * * *	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING	EX-L V6	T135/80D17103I TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist follision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² toad Departure Mitigation (RDM) system² lehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* y thonda Sensing™ honda Sensing Honda Sensing™ honda Sensing Honda Sen	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist ollision Mitigation Braking System™ (CMBS®) ² dectronic Brake-force Distribution (EBD) brward Collision Warning (FCW) system² iill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² oad Departure Mitigation (RDM) system² ehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACCE™) body structure hildproof rear door locks ual-stage, multiple-threshold front airbags (SRS)	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • LX • Honda Sensing™ model* Honda Sensing™ honda Sensing™ LX • • LX • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • • Honda Sensing™ model* • • * * * * * * * * * * * * * * *	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² load Departure Mitigation (RDM) system² lehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks load-stage, multiple-threshold front airbags (SRS) londaLink™ Assist Automatic Emergency Response System²-4.5	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* y thonda Sensing™ honda Sensing Honda Sensing™ honda Sensing Honda Sen	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
-wheel Anti-lock Braking System (ABS) ² rake Assist collision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² lill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² load Departure Mitigation (RDM) system² lehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks load-stage, multiple-threshold front airbags (SRS) londaLink™ Assist Automatic Emergency Response System²-4.5	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* y thonda Sensing™ honda Sensing Honda Sensing™ honda Sensing Honda Sen	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist follision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) forward Collision Warning (FCW) system² fill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² oad Departure Mitigation (RDM) system² ehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure hildproof rear door locks rual-stage, multiple-threshold front airbags (SRS) londaLink™ Assist Automatic Emergency Response System² ride curtain airbags with rollover sensor system	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • Uy available on automa LX • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171033 TOURING V6
CCTIVE SAFETY wheel Anti-lock Braking System (ABS) ² brake Assist collision Mitigation Braking System™ (CMBS®) ² clectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² dill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² doad Departure Mitigation (RDM) system² dehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks unal-stage, multiple-threshold front airbags (SRS) HondaLink™ Assist Automatic Emergency Response System² demartvent™ side airbags	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • Uy available on automa LX • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171031 TOURING V6
CTIVE SAFETY -wheel Anti-lock Braking System (ABS) ² rake Assist follision Mitigation Braking System™ (CMBS®) ² lectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² fill Start Assist² ED daytime running lights ire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² food Departure Mitigation (RDM) system² fehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks found-stage, multiple-threshold front airbags (SRS) fondaLink™ Assist Automatic Emergency Response System² martvent™ side airbags	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • Uy available on automa LX • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • * * * * * * * * * * * * * * * * *	EX-L	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D171031 TOURING V6
CTIVE SAFETY wheel Anti-lock Braking System (ABS) ² brake Assist collision Mitigation Braking System™ (CMBS®) ² clectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system ² dill Start Assist ² ED daytime running lights fire Pressure Monitoring System (TPMS) ³ – indirect ane Departure Warning (LDW) system ² toad Departure Mitigation (RDM) system ² tehicle Stability Assist ² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on ASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks bual-stage, multiple-threshold front airbags (SRS) dondaLink™ Assist Automatic Emergency Response System ^{2,4,5} fide curtain airbags with rollover sensor system martvent™ side airbags ower Anchors and Tethers for Children (LATCH)	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • Uy available on automa LX • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • * * * * * * * * * * * * * * * * *	EX-L	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D171031 TOURING V6
ACTIVE SAFETY In wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ² Collision Mitigation (EBD) Conward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights Fire Pressure Monitoring System (TPMS) ³ – indirect Cane Departure Warning (LDW) system ² Collision (RDM) system ² Collision Mitigation (RDM)	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* ty available on automa LX • • • • • • • • • • • • • • • • • •	SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* * Honda Sensing™ selvatic transmission veh SPORT • • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING	EX-L V6	T135/80D171038 TOURING V6
ACTIVE SAFETY A-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ² Electronic Brake-force Distribution (EBD) Forward Collision Warning (FCW) system² Hill Start Assist² LED daytime running lights Fire Pressure Monitoring System (TPMS)³ – indirect Lane Departure Warning (LDW) system² Road Departure Mitigation (RDM) system² Pehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on PASSIVE SAFETY B-point seat belts with front automatic tensioning system Fornt height-adjustable seat belt anchors Next-Generation Advanced Compatibility Engineering™ ACE™) body structure Childproof rear door locks Dual-stage, multiple-threshold front airbags (SRS) HondaLink™ Assist Automatic Emergency Response System² Side curtain airbags with rollover sensor system Smartvent™ side airbags Lower Anchors and Tethers for Children (LATCH) PRIVER ASSIST TECHNOLOGY Adaptive Cruise Control (ACC)²	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* LX • • • • • • • • • • • • • • • • •	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • •	EX-L	T135/80D17 103M TOURING CVT model	EX-L V6	T135/80D171038 TOURING V6
ACTIVE SAFETY II-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ² Electronic Brake-force Distribution (EBD) Forward Collision Warning (FCW) system ² Hill Start Assist ² ED daytime running lights Fire Pressure Monitoring System (TPMS) ³ – indirect Lane Departure Warning (LDW) system ² Road Departure Mitigation (RDM) system ² Road Departure Mitigation (RDM) system ² Rehicle Stability Assist ² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on PASSIVE SAFETY II-point seat belts with front automatic tensioning system Front height-adjustable seat belt anchors Rext-Generation Advanced Compatibility Engineering™ ACE™) body structure Childproof rear door locks Fould-stage, multiple-threshold front airbags (SRS) HondaLink™ Assist Automatic Emergency Response System ^{2,4,5} Fide curtain airbags with rollover sensor system Emartvent™ side airbags Lower Anchors and Tethers for Children (LATCH) PRIVER ASSIST TECHNOLOGY Adaptive Cruise Control (ACC) ²	LX Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* LX i ly available on automa LX i LX i LX Honda Sensing™ model*	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • •	EX-L	TOURING CVT model	EX-L V6	T135/80D171033 TOURING V6
CTIVE SAFETY wheel Anti-lock Braking System (ABS) ² brake Assist Collision Mitigation Braking System™ (CMBS®) ² clectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² dill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² cload Departure Mitigation (RDM) system² dehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on PASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks oual-stage, multiple-threshold front airbags (SRS) dondaLink™ Assist Automatic Emergency Response System² dide curtain airbags with rollover sensor system martvent™ side airbags ower Anchors and Tethers for Children (LATCH) DEIVER ASSIST TECHNOLOGY daptive Cruise Control (ACC)²	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • • LX • • • Honda Sensing™ model* Honda Sensing™ model* • LY • • • • • • • • • • • • • • • • •	SPORT Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* SPORT SPORT Honda Sensing™ model* SPORT Honda Sensing™ Honda Sensing™ model* Honda Sensing™ Model* Honda Sensing™ Honda Sensing™ Honda Sensing™ Model*	EX-L	T135/80D17 103M TOURING CVT model CVT model CVT model CVT model CVT model CVT model TOURING TOURING TOURING TOURING	EX-L V6	T135/80D17103I TOURING V6
ACTIVE SAFETY In-wheel Anti-lock Braking System (ABS) ² Brake Assist Collision Mitigation Braking System™ (CMBS®) ² Celectronic Brake-force Distribution (EBD) Forward Collision Warning (FCW) system² Hill Start Assist² ED daytime running lights Fire Pressure Monitoring System (TPMS)³ – indirect Fire Pressure Monitoring System² Fire Pressure Monitoring System (TPMS)³ – indirect Fire Pressure Monitoring System² Fire Pressure Monitoring (BDD) Fire Pressure Monitoring System² Fire Pressure Monitoring System² Fire Pressure Monitoring System² Fire Pressure Monitoring (BDD) Fire Pressure Monitoring System² Fire Pressure Monitoring Monitoring System² Fire Pressure Pressure Monitoring System² Fire Pressure Pressur	LX Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* LX i ly available on automa LX i LX i LX Honda Sensing™ model*	T135/80D17 103M SPORT • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* • SPORT • • • • • • • • • • • • • • • • • •	EX-L	TOURING CVT model CVT model	EX-L V6	TOURING V6
CTIVE SAFETY wheel Anti-lock Braking System (ABS) ² brake Assist Collision Mitigation Braking System™ (CMBS®) ² clectronic Brake-force Distribution (EBD) orward Collision Warning (FCW) system² dill Start Assist² ED daytime running lights fire Pressure Monitoring System (TPMS)³ – indirect ane Departure Warning (LDW) system² cload Departure Mitigation (RDM) system² dehicle Stability Assist² (VSA®) with Traction Control Honda Sensing™ suite of safety and driver assist technologies are on PASSIVE SAFETY -point seat belts with front automatic tensioning system ront height-adjustable seat belt anchors lext-Generation Advanced Compatibility Engineering™ ACE™) body structure childproof rear door locks oual-stage, multiple-threshold front airbags (SRS) dondaLink™ Assist Automatic Emergency Response System² dide curtain airbags with rollover sensor system martvent™ side airbags ower Anchors and Tethers for Children (LATCH) DEIVER ASSIST TECHNOLOGY daptive Cruise Control (ACC)²	LX • Honda Sensing™ model* • Honda Sensing™ model* • Honda Sensing™ model* Honda Sensing™ model* LX • • LX • • • Honda Sensing™ model* Honda Sensing™ model* • LY • • • • • • • • • • • • • • • • •	SPORT Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* Honda Sensing™ model* SPORT SPORT Honda Sensing™ model* SPORT Honda Sensing™ Honda Sensing™ model* Honda Sensing™ Model* Honda Sensing™ Honda Sensing™ Honda Sensing™ Model*	EX-L	TOURING CVT model	EX-L V6	T135/80D17103h TOURING V6

^{*}Honda Sensing™ suite of safety and driver assist technologies are only available on automatic transmission vehicles.

EXTERIOR	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
Body-coloured door handles						
Body-coloured heated power door mirrors including	•	•	•	•	•	•
expanded view driver's mirror						
Folding door mirrors						•
Mirror-integrated LED turn signal indicators	·			•		
Chrome door handles						•
		•	•	•	•	•
Chrome grille	•	•	•	•	•	•
Dual exhaust with chrome finishers		•			•	•
LED fog lights		•	•	•	•	•
Front splash guards	•		•		•	
LED brake lights			•	•	•	•
LED taillights	•	•	•	•	•	•
One-touch power moonroof with tilt feature		•	•	•	•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off	With auto-on/off		With auto-on/off	
LED headlights				With auto-on/off		With auto-on/off
LED front turn indicators				•		•
Rain-sensing windshield wipers				•		•
Rear deck lid spoiler		•				•
Rear window defroster	•	•	•	•	•	•
Side sill garnish				•		•
Speed-sensing, variable intermittent windshield wipers			•			
speed-sensing, variable intermittent windshield wipers	•	•	•	•	•	•
COMFORT & CONVENIENCE	LX	CDODT	EX-L	TOURING	EX-L V6	TOURING VC
COMFORT & CONVENIENCE		SPORT		TOURING		TOURING V6
12-volt power outlet	2	2	2	2	2	2
Active Noise Cancellation (ANC)	•	•	•	•	•	•
Aluminum-trimmed sport pedals		•				
Dual-zone automatic climate control with air-filtration system	•	•	•	•	•	•
Auto-dimming rearview mirror			•	•	•	•
Cargo area light	•	•	•	•	•	•
Centre console and storage compartment		•				•
Compass						
Driver's and front passenger's illuminated vanity mirrors					_	
Driver's and front passenger's seatback pockets	•	•	•	•	•	•
	•	•	•	•	•	•
Display Audio System ² with Honda Satellite-Linked				•		•
Navigation System™2.7 and bilingual Voice Recognition						
Exterior temperature indicator	•	•	•	•	•	•
Front and rear beverage holders	•	•	•	•	•	•
Front and rear door pockets	•	•	•	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone	•	•	•	•	•	•
interface ^{2,4} with steering wheel-mounted controls						
HomeLink® remote system ⁶				•		•
Body-coloured front and rear parking sensors				•		•
Map lights	•	•	•	•	•	•
Multi-angle rearview camera ² with dynamic guidelines						
One-touch turn signals						
Power door locks	•				•	•
	•	•	•	•	•	•
Power windows with auto-up/down driver front window	•	•				
Power windows with auto-up/down driver and front passenger wind	low		•	•	•	•
Proximity key entry and pushbutton start		•	•	•	•	•
Remote entry system	•					
Rear console ventilation			•	•	•	•
Rear-seat centre armrest with cupholder	•	•	•	•	•	•
Rear-seat heater ducts	•	•	•	•	•	•
Remote engine starter		CVT model	•	CVT model	•	•
Maintenance Minder™ system	•	•	•	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone,			•	•	•	•
multi-information display)		-	-	-	-	-
Sunglasses holder	•		•	•		
	•	•	•	•	•	•
Security system	•	•	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•	•	•
Wireless charging				•		•
Tilt and telescopic steering column	•	•	•	•	•	•
SEATING & TRIM	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
Driver's seat position memory			•	•	•	•
Driver's seat with 10-way power adjustment	•	•	•	•	•	•
including power lumbar support						
Floor mats			•	•		•
60/40 split fold-down rear seatback	•	•			•	
	•	•	•	•	•	•
Front passenger's seat with 4-way manual adjustment	•	•				
Front passenger's seat with 4-way power adjustment			•	•	•	•
Heated front seats	•	•	•	•	•	•
Heated rear seats			•	•	•	•
Perforated leather-trimmed seating surfaces			•	•	•	•
Leather/fabric combi seating surfaces		•				
Leather-wrapped steering wheel		•	•	•	•	•
5						

	137		=>/.		=>/.1.1/0	
ENTERTAINMENT	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
i-MID (intelligent Multi-Information Display)	•	•	•	•	•	•
160-watt AM/FM/CD audio system with MP3/Windows Media®	•					
Audio playback capability and 6 speakers						
360-watt AM/FM/CD Premium audio system with MP3/Windows Media®		•	•	•	•	•
Audio playback capability and 7 speakers including subwoofer						
Apple CarPlay™ ^{2,4} / Android Auto™ ^{2,4}	•	•	•	•	•	•
Bluetooth® Streaming Audio ^{2,4}	•	•	•	•	•	•
Display Audio System ² with HondaLink™ ^{2,4}	•	•	•	Including Navigation ^{2,7}	•	Including Navigation ²
HD Radio™ ⁸				•		•
Siri Eyes Free compatibility ^{2,4}	•	•	•	•	•	•
Illuminated steering wheel-mounted audio controls	•	•	•	•	•	•
USB device connectors ⁴	2	2	2	2	2	2
SMS text message ^{2,4} / E-mail function ^{2,4}	•	•	•	•	•	•
SiriusXM™ ⁹			•	•	•	•
Wi-Fi tethering ⁴	•	•	•	•	•	•

FUEL ECONOMY ¹⁰ (L/100 KM)	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
Automatic transmission (City/Hwy/Combined)					11.3/7.0/9.4	11.3/7.0/9.4
Manual transmission (City/Hwy/Combined)	10.3/7.2/8.9	10.3/7.2/8.9		10.3/7.2/8.9		
Continuously variable transmission (City/Hwy/Combined)	8.6/6.4/7.6	9.1/6.8/8.0	8.6/6.4/7.6	8.6/6.4/7.6		

DIMENSIONS	LX	SPORT	EX-L	TOURING	EX-L V6	TOURING V6
DIMENSIONS						
Cargo volume (L)	447	439	439	439	439	439
Curb weight - MT/CVT (L4) AT (V6) (kg)	1466/1497/	1507/1538	NA/1530	1524/1558	NA/1609	NA/1643
	1500 (Honda	1541 (Honda				
	Sensing [™] model)	Sensing™ model)				
Fuel tank capacity (L)	65	65	65	65	65	65
Ground clearance – no-load/full-load (mm)	146/110	146/110	141/110	141/110	141/110	141/110
Headroom - front/rear (mm)	994/952	955/940	955/940	955/940	955/940	955/940
Height (mm)	1465	1465	1465	1465	1465	1465
Hip room - front/rear (mm)	1412/1389	1412/1389	1412/1389	1412/1389	1412/1389	1412/1389
Legroom – front/rear (mm)	1079/977	1079/977	1079/977	1079/977	1079/977	1079/977
Length (mm)	4907	4907	4907	4907	4907	4907
Passenger volume (L)	2922	2854	2854	2854	2854	2854
Shoulder room – front/rear (mm)	1489/1435	1489/1435	1489/1435	1489/1435	1489/1435	1489/1435
Track - front/rear (mm)	1594/1601	1584/1593	1584/1591	1584/1593	1584/1591	1584/1593
Turning radius (m) (Curb-to-Curb)	5.81	6.03	5.81	6.03	5.81	6.03
Wheelbase (mm)	2775	2775	2775	2775	2775	2775
Width (mm)	1849	1849	1849	1849	1849	1849
Width – including mirrors/mirrors folded (mm)	2051/1856	2084/1858	2084/1858	2084/1858	2084/1858	2084/1858

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
 For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
 Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
 Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
 HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
 Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
 Coverage varies by market.
 Only available in certain areas. Includes a no-charge trial of three months.

^{9.} Only available in certain areas. Includes a no-charge trial of three months.

10. Estimated fuel economy based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.