

2025 CR-V

HONDA SENSING® DRIVER-ASSISTIVE FEATURES	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Adaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*)	•	•	•	•	•
Collision Mitigation Braking System™ (CMBS®) ³ (HS*)	•	•	•	•	•
Forward Collision Warning (FCW) system ³ (HS*)	•	•	•	•	•
Lane Departure Warning (LDW) system ³ (HS*)	•	•	•	•	•
Lane Keeping Assist System (LKAS) ³ (HS*)	•	•	•	•	•
Road Departure Mitigation (RDM) system ³ (HS*)	•	•	•	•	•
Traffic Jam Assist ³	•	•	•	•	•
Traffic Sign Recognition	•	•	•	•	•
Auto high-beam headlights ³	•	•	•	•	•
Blind Spot Information (BSI) system ²	•	•	•	•	•
Cross Traffic Monitor system ³ (CTM)	•	•	•	•	•
Low-speed braking control					•

HS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features.

ENGINEERING	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Engine type	1.5-litre inline 4-cylinder with Turbocharger	1.5-litre inline 4-cylinder with Turbocharger	1.5-litre inline 4-cylinder with Turbocharger	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder
Two-motor hybrid system				•	•
High-torque traction motor				•	•
High-voltage battery				Lithium-Ion	Lithium-Ion
Valve train	16-Valve DOHC VTEC® (exhaust) with Dual Variable Timing Control (VTC)	16-Valve DOHC VTEC® (exhaust) with Dual Variable Timing Control (VTC)	16-Valve DOHC VTEC® (exhaust) with Dual Variable Timing Control (VTC)	16-Valve DOHC with Dual Variable Timing Control (VTC)	16-Valve DOHC with Dual Variable Timing Control (VTC)
Fuel injection	Direct injection	Direct injection	Direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection
Displacement (cc)	1498	1498	1498	1993	1993
Compression ratio	10.3:1	10.3:1	10.3:1	13.9:1	13.9:1
Bore and stroke (mm)	73 x 89.5	73 x 89.5	73 x 89.5	81 x 96.7	81 x 96.7
Emissions rating	Tier 3 Bin 50	TIER 3 BIN 50	Tier 3 Bin 50	Tier 3 Bin 30	Tier 3 Bin 30
Horsepower @ rpm ¹	190 @ 6000	190 @ 6000	190 @ 6000		
Torque (lb.-ft.) @ rpm ¹	179 @ 1700-5000	179 @ 1700-5000	179 @ 1700-5000	138 @ 4500	138 @ 4500
Electric motor horsepower @ rpm ¹				181 @ 5000-8000	181 @ 5000-8000
Combined total horsepower ¹				204	204
Combined torque @ (lb.-ft.) @ rpm ¹				247 @ 0-2000	247 @ 0-2000
Drive Modes	ECON, Normal, Snow	ECON, Normal, Snow	ECON, Normal, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow
Continuously Variable Transmission (CVT)	•	•	•		
Electro-Continuously Variable Transmission (E-CVT) with B-range shift				•	•
Front-wheel drive (FWD)	•				
Real Time AWD™ with Intelligent Control System™		•	•	•	•
Idle-stop	•	•	•	•	•
Eco Assist™ system	•	•	•	•	•
Drive-by-Wire Throttle System™	•	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•	•
Hill Start Assist ³	•	•	•	•	•
Hill Descent Control	•	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•	•
Redline (rpm)	6600	6600	6600	6100	6100
Capless fueling system	•	•	•	•	•
Fuel tank capacity (L)	53	53	53	53	53
Recommended fuel	Regular	Regular	Regular	Regular	Regular
Towing capacity ² (kg)	Available 680	Available 680	Available 680	Available 453	Available 453

BODY/SUSPENSION/CHASSIS	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Wheels	17" Steel with covers	17" Steel with covers	18" Aluminum-alloy (Black)	18" Aluminum-alloy (Black)	19" Aluminum-alloy (Black)
All-season tires	P235/65 R17 104H	P235/65 R17 104H	P235/60 R18 103H	P235/60 R18 103H	P235/55 R19 101H
Compact spare tire	T155/90D17 112M	T155/90D17 112M	T155/90D17 112M		
Tire repair kit				•	•
MacPherson strut front suspension	•	•	•	•	•
Multi-link rear suspension	•	•	•	•	•
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•	•
Stabilizer bars – front/rear (mm)	26/17.2	26/12.5	26/12.5	26.6/13	26.6/13
Steering wheel turns, lock-to-lock	2.4	2.4	2.4	2.4	2.4
Turning diameter, curb to curb (m)	11.3	11.3	11.3	11.3	11.3
Steering ratio, curb to curb (m)	12.4:1	12.3:1	12.3:1	12.3:1	12.3:1

EXTERIOR FEATURES	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Power tailgate with programmable height			•	•	Hands-free access
LED headlights with auto-on/off	•	•	•	•	•
LED Daytime Running Lights (DRL)	•	•	•	•	•
LED taillights	•	•	•	•	•
Door mirror colour	Body-coloured	Body-coloured	Body-coloured	Black	Black
Door handle colour	Body-coloured	Body-coloured	Body-coloured	Body-coloured	Body-coloured
Power-adjusted heated exterior mirrors	•	•	•	•	•
Mirror-integrated LED turn signal indicators	•	•	•	•	•
Rear privacy-tinted glass	•	•	•	•	•
Front and rear splash guards	•	•	•	•	•
One-touch power moonroof			•	•	•
Roof rails			Gloss black		Gloss black
Tailgate spoiler	Matte black	Matte black	Body-coloured	Body-coloured	Body-coloured
Front wiper de-icer	•	•	•	•	•
Front windshield wipers	Intermittent	Intermittent	Variable intermittent	Variable intermittent	Rain-sensing
Reverse-linked intermittent rear window wiper with heated wiper zone	•	•	•	•	•
Rear camera washer					•
Dual chrome exhaust finishers				•	•
COMFORT & CONVENIENCE	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
7" colour TFT centre meter display with Driver Information Interface	•	•	•	•	•
Acoustic glass				Windshield	Windshield
Climate control with air-filtration system	Dual-zone	Dual-zone	Dual-zone	Dual-zone	Dual-zone
Parking sensors ²				Front and rear	Front and rear
Driver's and front passenger's vanity mirrors	•	•	Illuminated	Illuminated	Illuminated
Automatic-dimming rearview mirror				•	•
Interior LED lighting	Map/Cargo	Map/Cargo	Map/Cargo	Map/Cargo	Map/Cargo
12-volt power outlets (Front console: 1; cargo area: 1)	•	•	•	•	•
Adjustable cargo floor height (2 levels)	•	•	•	•	•
Cargo area tie-down anchors	•	•	•	•	•
Driver attention monitor ³	•	•	•	•	•
Security system	•	•	•	•	•
Maintenance Minder™ system	•	•	•	•	•
Multi-angle rearview camera ³ with dynamic guidelines	•	•	•	•	•
Front passenger's seatback pocket			•	•	•
Multi-functional centre console storage with armrest	•	•	•	•	•
Rear-seat centre armrest with cupholders	•	•	•	•	•
Power windows with auto-up/down	Driver	Driver	Driver/Passenger	All	All
Proximity key entry system with pushbutton start	•	•	•	•	•
Remote engine start	•	•	•	•	•
Walk-away door lock	•	•	•	•	•
Illuminated steering wheel-mounted controls	•	•	•	•	•
One-touch turn signals	•	•	•	•	•
Tilt and telescoping steering column	•	•	•	•	•
Leather-wrapped shift knob			•	•	•
Heated leather-wrapped steering wheel			•	•	•
Urethane steering wheel	•	•			
Steering wheel-mounted deceleration paddle selectors				•	•
SEATING	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Seating capacity	5	5	5	5	5
Heated seats	Front	Front	Front	Front/Rear	Front/Rear
Seat material	Fabric (Black)	Fabric (Black)	Fabric (Black)	Perforated leather-trimmed (Black) with Orange accents	Perforated leather-trimmed (Black) with Orange accents
Driver seat adjustment	6-way manual adjustment (including height adjustment)	6-way manual adjustment (including height adjustment)	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support
Passenger seat adjustment	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment	4-way power adjustment	4-way power adjustment
Driver's seat position memory				2 positions	2 positions
Rear foldable seats	60/40 split	60/40 split	60/40 split	60/40 split	60/40 split

AUDIO & CONNECTIVITY	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
7" touchscreen display	•	•	•		
9" touchscreen display				•	Including Navigation ^{3,9}
HondaLink™ ¹⁰				•	•
Audio system	4 speakers	4 speakers	6 speakers	8 speakers	BOSE® Premium Sound System ³ with 12 speakers
Speed-sensitive Volume Control (SVC)	•	•	•	•	•
Apple CarPlay ^{8,3,5} / Android Auto™ ^{3,5}	Wired	Wired	Wired	Wired/wireless	Wired/wireless
USB-A smartphone/Audio interface ⁵	1	1	1	1	1
USB-C charging port ⁵	1	1	1	1 (Front) 2 (Rear)	1 (Front) 2 (Rear)
Wireless phone charger (Qi-compatible) ¹¹				•	•
HD Radio™ ⁶				•	•
SiriusXM™ ^{3,7}				•	•
Wi-Fi® hotspot capability ¹¹				•	•
HondaLink™ ^{3,5,12} Subscription Services					•
ACTIVE SAFETY	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
4-wheel Anti-lock Braking System ³ (ABS)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•
Hill Start Assist ²	•	•	•	•	•
Vehicle Stability Assist ³ (VSA®) with Traction Control	•	•	•	•	•
PASSIVE SAFETY	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•	•	•
Driver's and front passenger's knee airbags (SRS)	•	•	•	•	•
Driver's and front passenger's front side airbags	•	•	•	•	•
Rear outboard passengers' side airbags	•	•	•	•	•
Side curtain airbags with rollover sensor	•	•	•	•	•
3-point seat belts at all seating positions	•	•	•	•	•
Front and outboard rear 3-point seat belts with automatic tensioning system	•	•	•	•	•
Lower Anchors and Tethers for Children (LATCH):					
Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	•	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•	•
Childproof rear door locks	•	•	•	•	•
Rear Seat Reminder ⁴ (RSR)	•	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{3,5,11}	•	•	•	•	•
FUEL ECONOMY⁸ (L/100 KM)	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Front-wheel drive (City/Hwy/Combined)	8.4/7.1/7.8	NA	NA	NA	NA
Real Time AWD™ (City/Hwy/Combined)	NA	9.1/7.6/8.4	9.1/7.6/8.4	6.0/6.9/6.4	6.0/6.9/6.4
EXTERIOR DIMENSIONS	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Wheelbase (mm)	2701	2700	2700	2700	2700
Length (mm)	4695	4695	4695	4695	4695
Height (mm)	1680	1690	1690	1690	1690
Width (mm)	2150	2150	2150	2150	2150
Track – front/rear (mm)	1610/1627	1608/1623	1608/1623	1608/1623	1608/1623
Curb weight (kg)	1583	1635	1651	1785	1785
Ground clearance – no-load; (mm)	198	208	208	208	208
INTERIOR DIMENSIONS	LX 2WD	LX	SPORT	EX-L HYBRID	TOURING HYBRID
Headroom – front/rear (mm)	1016/970	1016/970	970/970	970/970	970/970
Legroom – front/rear (mm)	1049/1042	1049/1042	1049/1042	1049/1042	1049/1042
Shoulder room – front/rear (mm)	1470/1421	1470/1421	1470/1421	1470/1421	1470/1421
Hip room – front/rear (mm)	1413/1336	1413/1336	1413/1336	1413/1336	1413/1336
Cargo volume – rear seats up/down (L); FWD & Real Time AWD™	1113/2166	1113/2166	1113/2166	1028/2030	1028/2030
Passenger volume (L)	3002	3002	2931	2931	2931

HS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features.

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
2. With the required accessory towing package. See your Owner's Manual for proper towing operation.
3. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
4. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
5. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
6. Coverage varies by market.
7. Only available in certain areas. Includes a no-charge trial of three months.
8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>
9. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
10. Check the HondaLink™ website for compatibility
11. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
12. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/hondalink and www.honda.ca/privacy.