2025 HR-V

HONDA SENSING® DRIVER-ASSISTIVE FEATURES	LX 2WD	LX AWD	SPORT	EX-L NAVI
Adaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*)	•	•	•	•
Collision Mitigation Braking System™ (CMBS®) ² (HS*)	•	•	•	•
Forward Collision Warning (FCW) system ² (HS*)	•	•	•	•
Lane Departure Warning (LDW) system ² (HS*)	•	•	•	•
Lane Keeping Assist System (LKAS) ² (HS*)	•	•	•	•
Road Departure Mitigation (RDM) system ² (HS*)	•	•	•	•
Traffic Jam Assist ²	•	•	•	•
Traffic Sign Recognition	•	•	•	•
Auto high-beam headlights ²	•	•	•	•
Blind Spot Information (BSI) system ²	•	•	•	•
Cross Traffic Monitor system ² (CTM)	•	•	•	•
Low-speed braking control				•
$HS^* = Feature \ is \ a \ component \ of \ the \ Honda \ Sensing^{\#} \ suite \ of \ safety \ and \ driver \ assist \ features.$				
ENGINEERING	LX 2WD	LX AWD	SPORT	EX-L NAVI

Carbon C	ENGINEERING	LX 2WD	LX AWD	SPORT	EX-L NAVI
Name Part		2.0-litre inline			
Value train (Intake) with Dual Variable Irrings Control	Engine type	,			
Displacement (Col. 1996	Valve train	(intake) with Dual Variable Timing Contro	(intake) with Dual Variable Timing Control	(intake) with Dual Variable Timing Control	(intake) with Dual Variable Timing Contro
Compression ration 10.81 10.81 10.81 10.81 10.81 10.81 10.81 88.88.93 89.88.93 89.88.93 89.88.93 89.88.93 89.88.93 89.88.93 49.00 10.00	Fuel injection	Port injection	Port injection	Port injection	Port injection
Bore and stroke (mm)	Displacement (cc)	1996	1996	1996	1996
Emission rating Tier 3 Bin 30 158 (8 6500) 15	Compression ratio	10.8:1	10.8:1	10.8:1	10.8:1
Horsepport	Bore and stroke (mm)				
Torque (IDft. @ rpm)					
Drive modes (Normal, Econ, Snow)		_	~	~	
Continually Variable Transmission (CVT) Font-wheel dive (FMD) Font-wheel diversity Font-wheel dive		138 @ 4200	138 @ 4200	138 @ 4200	138 @ 4200
Front-Wine Grive (FAVD)	,	•	•	•	•
Real Time AWD" with Intelligent Control System • • • • • • • • • • • • • • • • • • •	· ,	•	•	•	•
Eco Assist" system	· ,	•			
Electric Parking Brake (EPB) with automatic brake hold			•	•	•
Hill Start Assist*	•	•	•	•	•
Immobilizer theff-deterrent system 6 7 7 1 1 2 1 2 1 2 1 2 1 2 1 2		•	•	•	•
Redline (rym) 6800 6800 6800 Capless fueling system • • • Leel tank capacity (t) 53 53 53 53 Recommended fuel Regular Regular Regular Regular Regular BOW/SUSPENSIO/CHASSIS LX 2WD LX AWD 17° Aluminum-alloy (Grey) 17° Aluminu		•	•	•	•
Capless fueling system •	· · · · · · · · · · · · · · · · · · ·		6900	6900	6900
Full Lank capacity (L)	* * *				
Recommended fuel Regular					
BODY/SUSPENSION/CHASSIS LX 2WD LX AWD SPORT EX-L NAVI Wheels 17" Aluminum-Alloy 17"					
Wheels 17" Aluminum-Alloy 17" Aluminum-Alloy 17" Aluminum-alloy (Grey) 2015 (Go R17 96H) P215/60 R17 96H P215/60 R17 9					
Wheeles IP Alluminum-Alloy (P Alluminum-Alloy (F Alluminum-Alloy (Grey) (Grey) (Grey) (Grey) (Grey) All-season tires P215/60 R17 96H					
Compact spare tire T135/90 D17104M T135/9	Wheels	17" Aluminum-Alloy	17" Aluminum-Alloy		
MacPherson strut front suspension Multi-link rear suspension Electric Power-Assisted Rack-and-Pinion Steering (EPS) Power-assisted, ventilated front disc/solid rear disc brakes Power-assisted, ventilated front disc/solid rear disc brakes Stabilizer bars – (front/rear) (mm) Power-assisted, ventilated front disc/solid rear disc brakes Stabilizer bars – (front/rear) (mm) Power-assisted, ventilated front disc/solid rear disc brakes Power-assisted, ventilated front disc brakes Power-assisted, ventilat		,	,	,	,
Multi-link rear suspension • • • • Electric Power-Assisted Rack-and-Pinion Steering (EPS) • • • • Power-Assisted, ventilated front disc/solid rear disc brakes • • • • Stabilizer bars - (front/rear) (mm) 27/17.2 27/13 27/13 27/13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 2.6 Turning diametre, curb to curb (m) 5.4 5.4 5.4 5.4 5.4 Steering artio, curb to curb (m) 12.5:1	Compact spare tire	T135/90 D17 104M	T135/90 D17 104M	T135/90 D17 104M	T135/90 D17 104M
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	MacPherson strut front suspension	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes • • • • Stabilizer bars - (front/rear) (mm) 27/17.2 27/13 27/13 27/13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 Turning diametre, curb to curb (m) 15.4 12.51<	Multi-link rear suspension	•	•	•	•
Stabilizer bars - (front/rear) (mm) 27/17.2 27/13 27/13 27/13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 Turning diametre, curb to curb (m) 5.4 5.4 5.4 5.4 Steering ratio, curb to curb (m) 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 13 14 10	Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 Turning diametre, curb to curb (m) 5.4 5.4 5.4 5.4 Steering ratio, curb to curb (m) 12.5:1 12.5:1 12.5:1 12.5:1 Stabilizer bars – rear (Real Time AWD™) (mm) 13 13 13 13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 EXTERIOR FEATURES LX 2WD LX AWD SPORT EX-L NAVI LED Daytime Running Lights (DRL) • • • • • LED Daytime Running Lights (DRL) •	Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
Turning diametre, curb to curb (m) 5.4 5.4 5.4 5.4 Steering ratio, curb to curb (m) 12.5:1	Stabilizer bars – (front/rear) (mm)	27/17.2	27/13	27/13	27/13
Steering ratio, curb to curb (m) 12.5:1 12.5:1 12.5:1 12.5:1 12.5:1 Stabilizer bars - rear (Real Time AWD™) (mm) 13 13 13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 EXTERIOR FEATURES LX 2WD LX AWD SPORT EX-L NAVI LED headlights with auto-on/off • • • • • LED Daytime Running Lights (DRL) • • • • • LED taillights • • • • • Door mirror colour Body-coloured Body-coloured Black Body-coloured Heated power side mirrors • • • • • Mirror-integrated LED turn signal indicators • • • • Front and rear splash guards • • • • • One-touch power moonroof • • • • • Front wiper de-icer • • • • • Windshield wipers Intermittent, speed-sensing Intermittent, speed-sensing sensing	Steering wheel turns, lock-to-lock	2.6	2.6	2.6	2.6
Stabilizer bars - rear (Real Time AWD**) (mm) 13 13 13 Steering wheel turns, lock-to-lock 2.6 2.6 2.6 EXTERIOR FEATURES LX 2WD LX AWD SPORT EX-L NAVI LED headlights with auto-on/off • • • • • LED Daytime Running Lights (DRL) • • • • • LED taillights • • • • • Door mirror colour Body-coloured Body-coloured Black Body-coloured Heated power side mirrors • • • • • Mirror-integrated LED turn signal indicators • • • • • Front and rear splash guards • • • • • One-touch power moonroof • • • • • Front wiper de-icer • • • • • Windshield wipers Intermittent Intermittent, speed-sensing sensing	Turning diametre, curb to curb (m)	5.4	5.4	5.4	5.4
Steering wheel turns, lock-to-lock 2.6 2.6 2.6 2.6 EXTERIOR FEATURES LX 2WD LX AWD SPORT EX-L NAVI LED headlights with auto-on/off	Steering ratio, curb to curb (m)	12.5:1	12.5:1	12.5:1	12.5:1
EXTERIOR FEATURES LX 2WD LX AWD SPORT EX-L NAVI LED headlights with auto-on/off 1	Stabilizer bars – rear (Real Time AWD™) (mm)		13	13	13
LED headlights with auto-on/off LED Daytime Running Lights (DRL) LED taillights Door mirror colour Heated power side mirrors Mirror-integrated LED turn signal indicators Front and rear splash guards One-touch power moonroof Front wiper de-icer Windshield wipers LED taillights Sody-coloured Body-coloured Bod	Steering wheel turns, lock-to-lock		2.6	2.6	2.6
LED Daytime Running Lights (DRL) LED taillights Soor mirror colour Body-coloured Body-colour	EXTERIOR FEATURES	LX 2WD	LX AWD	SPORT	EX-L NAVI
LED taillights Poor mirror colour Body-coloured	LED headlights with auto-on/off	•	•	•	•
Door mirror colour Body-coloured Body-coloured Black Body-coloured Heated power side mirrors • • • • Mirror-integrated LED turn signal indicators • • • • Front and rear splash guards • • • • One-touch power moonroof • • • • Front wiper de-icer Intermittent Intermittent Intermittent, speed-sensing Intermittent, speed-sensing	LED Daytime Running Lights (DRL)	•	•	•	•
Heated power side mirrors Mirror-integrated LED turn signal indicators Front and rear splash guards One-touch power monoroof Front wiper de-icer Windshield wipers Intermittent Intermittent Intermittent, speed-sensing sensing	LED taillights	•	•	•	•
Mirror-integrated LED turn signal indicators Front and rear splash guards One-touch power moonroof Front wiper de-icer Windshield wipers Intermittent Intermittent Intermittent, speed-sensing sensing	Door mirror colour	Body-coloured	Body-coloured	Black	Body-coloured
Front and rear splash guards One-touch power moonroof Front wiper de-icer Windshield wipers Intermittent Intermittent Intermittent, speed-sensing sensing sensing	Heated power side mirrors	•	•	•	•
One-touch power monroof Front wiper de-icer Windshield wipers Intermittent Intermittent, speed-sensing Intermittent, speed-sensing Intermittent In	Mirror-integrated LED turn signal indicators			•	•
Front wiper de-icer • • • • • • • • • • • • • • • • • • •	Front and rear splash guards	•	•	•	•
Windshield wipers Intermittent Intermittent, speed- Intermittent, speed- sensing sensing sensing	One-touch power moonroof			•	•
windshield wipers intermittent intermittent sensing sensing sensing	Front wiper de-icer	•	•	•	•
	Windshield wipers	Intermittent	Intermittent		
	Exhaust finisher			sensing	Sensing

COMFORT & CONVENIENCE	LX 2WD	LX AWD	SPORT	EX-L NAVI
7" colour TFT centre meter display with Driver Information Interface ²	•	•	•	•
Acoustic windshield	•	•	Post -	• Donal
Automatic climate control with air-filtration system Front and rear parking sensors ²	•	•	Dual-zone	Dual-zone
Oriver's and front passenger's vanity mirrors	•	•	Illuminated	Illuminated
2-volt accessory socket – rear cargo area	•	•	•	•
ecurity system	•	•	•	•
Maintenance Minder™ system	•	•	•	•
Aulti-angle rearview camera ² with dynamic guidelines	Panangar	Panangar	Danaman	Panagarar
Seatback pocket Power windows with auto-up/down driver's window	Passenger	Passenger	Passenger	Passenger
Power windows with auto-up/down driver's and front passenger's windows			•	•
Remote engine starter	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•
Filt and telescoping steering column	•	•	•	•
Walk-away door lock Electrostatic touch 2nd-row reading lights	•	•	•	•
Leather shift knob	•	•	•	•
Heated leather-wrapped steering wheel			•	•
Jrethane steering wheel	•	•		
EATING	LX 2WD	LX AWD	SPORT	EX-L NAVI
Seating capacity	5	5	5	5
Heated front seats	•	•	•	•
Seat material	Fabric	Fabric	Fabric	Leather-trimmed
Oriver's seat with 6-way manual adjustment (including height adjustment)	•	•	•	•
Front passenger's seat with 4-way manual adjustment 50/40 split fold-down rear seatback	•	•	•	•
· ·	LVOWP	LVAMP	CDOPT	FV I MANU
AUDIO & CONNECTIVITY 7" touchscreen display	LX 2WD	LX AWD	SPORT	EX-L NAVI
of touchscreen display	•	•	•	Including Navigation
HondaLink™ ⁹				•
Audio system	4 speakers	4 speakers	6 speakers	8 speakers
Speed-sensitive Volume Control (SVC)	•	•	•	•
Apple CarPlay ^{®2,3} / Android Auto™ ^{2,3}	Wired	Wired	Wired	Wired/wireless
JSB-A port ⁴ JSB-C smartphone/audio interface ⁴	•	•	•	•
JSB-C charging port ⁴	•	•	•	•
Wireless phone charger (Qi-compatible) ⁴				•
HD Radio™ ⁶				•
SiriusXM ^{™7}				•
Ni-Fi tethering⁴				•
ACTIVE SAFETY	LX 2WD	LX AWD	SPORT	EX-L NAVI
4-wheel Anti-lock Braking System ² (ABS)	•	•	•	•
Brake Assist Electronic Brake-force Distribution (EBD)	•	•	•	•
/ehicle Stability Assist² (VSA®) with Traction Control	•	•	•	•
				=>/.
PASSIVE SAFETY Advanced Compatibility Engineering™ (ACE™) body structure	LX 2WD	LX AWD	SPORT	EX-L NAVI
Driver's and front passenger's advanced front airbags (SRS)	•	•	•	•
Driver & passenger knee airbag system	•		•	•
Front side airbags system	•	•	•	•
Rear outboard passengers' side airbags	•	•	•	•
Side curtain airbags with rollover sensor system	•	•	•	•
3-point seat belts at all seating positions Front and outboard rear 3-point seat belts with automatic tensioning system	•	•	•	•
Lower Anchors and Tethers for Children (LATCH):	•	•	•	•
Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•
Childproof rear door locks	•	•	•	•
Rear Seat Reminder (RSR)	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{2,3,4}	•	•	•	•
UEL ECONOMY [®] (L/100 KM)	LX 2WD	LX AWD	SPORT	EX-L NAVI
ront-wheel drive (City/Hwy/Combined)	9.1/7.4/8.3	0.4/5.0/0.5	0.4/5.0/0.5	0.4/5.0/0.5
Real Time AWD™ (City/Hwy/Combined)		9.4/7.8/8.7	9.4/7.8/8.7	9.4/7.8/8.7
EXTERIOR DIMENSIONS	LX 2WD	LX AWD	SPORT	EX-L NAVI
Vheelbase (mm)	2655	2655	2655	2655
ength (mm)	4567.8	4567.8	4567.8	4567.8
Height (mm) Width (mm)	1620.12 1839.99	1620.12 1839.99	1620.12 1839.99	1620.12 1839.99
rack – front/rear (mm)	1590/1604	1590/1604	1590/1604	1590/1604
, , ,	1441	N/A	N/A	N/A
Curb weight - FWD (kg)		1	-1.	
0 (6)	N/A	1494	1509	1513
Curb weight - FWD (kg) Curb weight - Real Time AWD™ (kg) Ground clearance - no-load; FWD (mm)		1494 N/A	1509 N/A	1513 N/A

INTERIOR DIMENSIONS	LX 2WD	LX AWD	SPORT	EX-L NAVI
Headroom - front/rear (mm)	1002/965.3	1002/965.3	976/964	976/964
Legroom - front/rear (mm)	1064/958	1064/958	1064/958	1064/958
Shoulder room - front/rear (mm)	1438/1402.2	1438/1402.2	1438/1402.2	1438/1402.2
Hip room - front/rear (mm)	1371/1202.8	1371/1202.8	1371/1202.8	1371/1202.8
Cargo volume - rear seats up/down (L); FWD & Real Time AWD™	691/1559	691/1559	691/1559	691/1559
Passenger volume (L)	2794.2	9794.9	9794.9	2755.3

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

^{2.} None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

^{3.} Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.

4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

^{5.} Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

^{6.} Coverage varies by market.

o. Coverage varies by market.

7. Only available in certain areas. Includes a no-charge trial of three months.

8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.

^{9.} Check the HondaLink™ website for compatibility